

# FortiGate 70F Series

FG-70F and FG-71F



#### **Highlights**

#### **Gartner Magic Quadrant**

**Leader** for both Network Firewalls and SD-WAN.

#### Security-Driven

**Networking** with FortiOS delivers converged networking and security.

#### **Unparalleled Performance**

with Fortinet's patented SoC processors.

#### **Enterprise Security**

with consolidated AI / ML-powered FortiGuard Services.

#### **Simplified Operations**

with centralized management for networking and security, automation, deep analytics, and self-healing.

### **Converged Next-Generation Firewall (NGFW) and SD-WAN**

The FortiGate Next-Generation Firewall 70F series is ideal for building security-driven networks at distributed enterprise sites and transforming WAN architecture at any scale.

With a rich set of Al/ML-based FortiGuard security services and our integrated Security Fabric platform, the FortiGate 70F series delivers coordinated, automated, end-to-end threat protection across all use cases.

FortiGate has the industry's first integrated SD-WAN and zero-trust network access (ZTNA) enforcement within an NGFW solution and is powered by one OS. FortiGate 70F automatically controls, verifies, and facilitates user access to applications, delivering consistency with a seamless and optimized user experience.

IPS	NGFW	Threat Protection	Interfaces
1.4 Gbps	1 Gbps	800 Mbps	Multiple GE RJ45   Variants with internal storage



Available in



**Appliance** 



Virtual



Hosted



Cloud



Container

### **FortiOS Everywhere**

#### FortiOS, Fortinet's Advanced Operating System

FortiOS enables the convergence of high performing networking and security across the Fortinet Security Fabric. Because it can be deployed anywhere, it delivers consistent and context-aware security posture across network, endpoint, and multi-cloud environments.

FortiOS powers all FortiGate deployments whether a physical or virtual device, as a container, or as a cloud service. This universal deployment model enables the consolidation of many technologies and use cases into organically built best-of-breed capabilities, unified operating system, and ultra-scalability. The solution allows organizations to protect all edges, simplify operations, and run their business without compromising performance or protection.

FortiOS dramatically expands the Fortinet Security Fabric's ability to deliver advanced AI/ML-powered services, inline advanced sandbox detection, integrated ZTNA enforcement, and more. It provides protection across hybrid deployment models for hardware, software, and Software-as-a-Service with SASE.

FortiOS expands visibility and control, ensures the consistent deployment and enforcement of a simplified, single policy and management framework. Its security policies enable centralized management across large-scale networks with the following key attributes:

- Interactive drill-down and topology viewers that display real-time status
- On-click remediation that provides accurate and quick protection against threats and abuses
- Unique threat score system correlates weighted threats with users to prioritize investigations



Intuitive easy to use view into the network and endpoint vulnerabilities



Visibility with FOS Application Signatures

#### **FortiConverter Service**

FortiConverter Service provides hassle-free migration to help organizations transition from a wide range of legacy firewalls to FortiGate Next-Generation Firewalls quickly and easily. The service eliminates errors and redundancy by employing best practices with advanced methodologies and automated processes. Organizations can accelerate their network protection with the latest FortiOS technology.





#### **FortiGuard Services**

#### FortiGuard AI-Powered Security

FortiGuard's rich suite of security services counter threats in real time using Al-powered, coordinated protection designed by FortiGuard Labs security threat researchers, engineers, and forensic specialists.

#### **Web Security**

Advanced cloud-delivered URL, DNS (Domain Name System), and Video Filtering providing complete protection for phishing and other web born attacks while meeting compliance.

Additionally, its dynamic inline CASB (Cloud Access Security Broker) service is focused on securing business SaaS data, while inline ZTNA traffic inspection and ZTNA posture check provide per-sessions access control to applications. It also integrates with the FortiClient Fabric Agent to extend protection to remote and mobile users.

#### **Content Security**

Advanced content security technologies enable the detection and prevention of known and unknown threats and file-based attack tactics in real-time. With capabilities like CPRL (Compact Pattern Recognition Language), AV, inline Sandbox, and lateral movement protection make it a complete solution to address ransomware, malware, and credential-based attacks.

#### **Device Security**

Advanced security technologies are optimized to monitor and protect IT, IIoT, and OT (Operational Technology) devices against vulnerability and device-based attack tactics. Its validated near-real-time IPS intelligence detects, and blocks known and zero-day threats, provides deep visibility and control into ICS/OT/SCADA protocols, and provides automated discovery, segmentation, and pattern identification-based policies.

#### Advanced Tools for SOC/NOC

Advanced NOC and SOC management tools attached to your NGFW provide simplified and faster time-to-activation.

#### SOC-as-a-Service

Includes tier-one hunting and automation, log location, 24×7 SOC analyst experts, managed firewall and endpoint functions, and alert triage.

#### **Fabric Rating Security Best Practices**

Includes supply chain virtual patching, up-to-date risk and vulnerability data to deliver quicker business decisions, and remediation for data breach situations.



# Secure Any Edge at Any Scale



#### Powered by Security Processing Unit (SPU)

Traditional firewalls cannot protect against today's content- and connection-based threats because they rely on off-the-shelf hardware and general-purpose CPUs, causing a dangerous performance gap. Fortinet's custom SPU processors deliver the power you need—up to 520Gbps—to detect emerging threats and block malicious content while ensuring your network security solution does not become a performance bottleneck.

#### **ASIC Advantage**



#### Secure SD-WAN ASIC SOC4

- Combines a RISC-based CPU with Fortinet's proprietary Security Processing Unit (SPU) content and network processors for unmatched performance
- Delivers industry's fastest application identification and steering for efficient business operations
- Accelerates IPsec VPN performance for best user experience on direct internet access
- Enables best of breed NGFW Security and Deep SSL Inspection with high performance
- Extends security to access layer to enable SD-Branch transformation with accelerated and integrated switch and access point connectivity



#### **FortiCare Services**

Fortinet is dedicated to helping our customers succeed, and every year FortiCare Services help thousands of organizations get the most from our Fortinet Security Fabric solution. Our lifecycle portfolio offers Design, Deploy, Operate, Optimize, and Evolve services. Operate services offer device-level FortiCare Elite service with enhanced SLAs to meet our customer's operational and availability needs. In addition, our customized account-level services provide rapid incident resolution and offer proactive care to maximize the security and performance of Fortinet deployments.



#### **Use Cases**



#### **Next Generation Firewall (NGFW)**

- FortiGuard Labs' suite of Al-powered Security Services—natively integrated with your NGFW—secures web, content, and devices and protects networks from ransomware and sophisticated cyberattacks
- Real-time SSL inspection (including TLS 1.3) provides full visibility into users, devices, and applications across the attack surface
- Fortinet's patented SPU (Security Processing Unit) technology provides industry-leading high-performance protection




#### **Secure SD-WAN**

- FortiGate WAN Edge powered by one OS and unified security and management framework and systems transforms and secures WANs
- Delivers superior quality of experience and effective security posture for work-from-any where models, SD-Branch, and cloud-first WAN use cases
- Achieve operational efficiencies at any scale through automation, deep analytics, and self-healing



#### **Universal ZTNA**

- Control access to applications no matter where the user is and no matter where the application is hosted for universal application of access policies
- Provide extensive authentications, checks, and enforce policy prior to granting application access every time
- Agent-based access with FortiClient or agentless access via proxy portal for guest or BYOD






#### **Hardware**

#### FortiGate 70F/71F





#### **Hardware Features**



#### **Interfaces**

- 1. 1 x USB Port
- 2. 1 x Console Port
- 3. 2 x GE RJ45 WAN Ports
- 4. 1 x GE RJ45 DMZ Port
- 5. 2 x GE RJ45 FortiLink Ports
- 6. 5 x GE RJ45 Internal Ports

#### **Compact and Reliable Form Factor**

Designed for small environments, you can place it on a desktop or wall-mount it. It is small, lightweight, yet highly reliable with a superior MTBF (Mean Time Between Failure), minimizing the chance of a network disruption.

#### **Access Layer Security**

FortiLink protocol enables you to converge security and the network access by integrating the FortiSwitch into the FortiGate as a logical extension of the NGFW. These FortiLink enabled ports can be reconfigured as regular ports as needed.



## **Specifications**

Hardware Specifications		FORTICATE 70F	FORTICATE 745		
GE RJ45 WAN / DMZ Ports         2/1         2/1           GE RJ45 Internal Ports         5         5           GE RJ45 FortiLink Ports (Default)         2         2           Wireless Interface         -         -           USB Ports         1         1           Console (RJ45)         1         1           Internal Storage         -         1 × 128 GB SSD           Trusted Platform Module (TPM)         No         No           Bluetooth Low Energy (BLE)         No         No           System Performance* — Enterprise Traffic Mix         IPS         IPS           IPS Throughput 2.4         1 Gbps         1           MFW Throughput 2.4         1 Gbps         1           Threat Protection Throughput 2.5         800 Mbps         1           System Performance and Capacity         10/10/6 Gbps         1           Firewall Throughput (Fd 4 byte UDP packets)         2.54 µs         1           Firewall Throughput (Reacts Per Second)         2.54 µs         1           Concurrent Sessions (TCP)         1.5 M         1           New Sessions/Second (TCP)         35 000         1           Firewall Policies         5000         1           Gateway-to-Gateway IPsec VPN	Hardways Chariffeshirer	FORTIGATE 70F	FORTIGATE 71F		
GE RJ45 Internal Ports         5         5           GE RJ45 FortiLink Ports (Default)         2         2           Wireless Interface         -         -           USB Ports         1         1           Console (RJ45)         1         1           Internal Storage         -         1 × 128 GB SSD           Trusted Platform Module (TPM)         No         No           Bluetooth Low Energy (BLE)         No         No           System Performance* — Enterprise Traffic Mix         IPS Throughput 2.4         1 Gbps           NGFW Throughput 2.4         1 Gbps         1 Gbps           Threat Protection Throughput 2.5         800 Mbps         1 Gbps           System Performance and Capacity         10/10/6 Gbps         1 Gbps           Firewall Throughput (1518 / 512 / 64 byte UDP packets)         2.54 μs         1 Gbps           Firewall Throughput (Packets)         3.5 M         1 Gbps           Concurrent Sessions (TCP)         1.5 M         1 Gbps           Concurrent Sessions (TCP)         1.5 M         1 Gbps           Firewall Throughput (512 byte) 1         6.1 Gbps         6.1 Gbps           Gateway-to-Gateway IPsec VPN Tunnels         500         1 Gbps           Client-to-Gateway IPsec VPN Tunnels		0./1	0./1		
GE R.J45 FortiLink Ports (Default)         2         2           Wireless Interface         -         -           USB Ports         1         1           Console (R.J45)         1         1           Internal Storage         -         1 × 128 GB SSD           Trusted Platform Module (TPM)         No         No           Bluetooth Low Energy (BLE)         No         No           System Performance* — Enterprise Traffic Mix         IPS Throughput 2.4         1 Gbps           NGFW Throughput 2.4         1 Gbps         1 Gbps           Threat Protection Throughput 2.5         800 Mbps         1 Gbps           System Performance and Capacity         10/10/6 Gbps         1 Gbps           Firewall Throughput (1518 / 512 / 64 byte UDP packets)         1 0/10/6 Gbps         1 Gbps           Firewall Latency (64 byte UDP packets)         2.54 μs         1 Gbps           Firewall Policies         5000         1 S M           Firewall Policies         5000         1 S M           Psec VPN Throughput (512 byte) 1         6.1 Gbps           Gateway-to-Gateway IPsec VPN Tunnels         500           SSL-VPN Throughput (9 St. VPN Tunnels         500           SSL-VPN Throughput (9 St. VPN Tunnely (9 St. VPN Tunnely (9 St. VPN Tunnely (9 St. VPN Tunnel					
Wireless Interface         −         −           USB Ports         1         1           Console (RJ45)         1         1           Internal Storage         −         1 × 128 GB SSD           Trusted Platform Module (TPM)         No         No           Bluetooth Low Energy (BLE)         No         No           System Performance* — Enterprise Traffic Mix         IPS Throughput 2         1.4 Gbps           NGFW Throughput 2.4         1 Gbps           Threat Protection Throughput 2.5         800 Mbps           System Performance and Capacity         10/10/6 Gbps           Firewall Throughput (1518 / 512 / 64 byte UDP packets)         10/10/6 Gbps           Firewall Throughput (Packets)         2.54 µs           Firewall Throughput (Packets)         3.5 000           Concurrent Sessions (TCP)         1.5 M           New Sessions/Second (TCP)         3.5 000           IPsec VPN Throughput (512 byte) 1         6.1 Gbps           Gateway-to-Gateway IPsec VPN Tunnels         500           SSL-VPN Users (Recommended Maximum, Tunnel Mode)         405 Mbps           Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)         700 Mbps           SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3         500           SSL Insp					
USB Ports         1         1           Console (RJ45)         1         1           Internal Storage         −         1 × 128 GB SSD           Trusted Platform Module (TPM)         No         No           Bluetooth Low Energy (BLE)         No         No           System Performance* — Enterprise Traffic Mix           IPS Throughput 2         1.4 Gbps           ROFW Throughput 7         1 Gbps           Threat Protection Throughput 2.5         800 Mbps           System Performance and Capacity           Firewall Throughput (1518 / 512 / 64 byte UDP packets)         2.54 μs           Firewall Throughput (Packets)         2.54 μs           Firewall Throughput (Packets)         35 000           Firewall Throughput (512 byte) 1         6.1 Gbps           Concurrent Sessions/Second (TCP)         35 000           Firewall Policies         5000           IPsec VPN Throughput (512 byte) 1         6.1 Gbps           Gateway-to-Gateway IPsec VPN Tunnels         500           SSL-VPN Throughput 6         405 Mbps           Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)         700 Mbps           SSL Inspection CPS (IPS, avg. HTTPS) 3         500           SSL Inspection CPS (IPS, avg. HTTPS) 3         50					
Console (RJ45)         1         1           Internal Storage         −         1 × 128 GB SSD           Trusted Platform Module (TPM)         No         No           Bluetooth Low Energy (BLE)         No         No           System Performance* — Enterprise Traffic Mix           IPS Throughput ²         1.4 Gbps           NGFW Throughput ².4         1 Gbps           Threat Protection Throughput (1512 / 64 byte UDP packets)         10/10/6 Gbps           Firewall Throughput (1512 / 64 byte UDP packets)         2.54 μs           Firewall Throughput (Packets Per Second)         9 Mpps           Concurrent Sessions (TCP)         1.5 M           New Sessions/Second (TCP)         35 000           Firewall Policies         5000           IPsec VPN Throughput (512 byte) ¹         6.1 Gbps           Gateway-to-Gateway IPsec VPN         200           Tunnels         200           Colient-to-Gateway IPsec VPN Tunnels         500           SSL-VPN Throughput **         700 Mbps           Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)         700 Mbps           SSL Inspection Throughput (HTTPS)³         500           SSL Inspection Concurrent Session (IPS, avg. HTTPS)³         500           SSL Inspection Concurrent Session (I					
Internal Storage - 1 × 128 GB SSD  Trusted Platform Module (TPM) No No  Bluetooth Low Energy (BLE) No No  System Performance* — Enterprise Traffic Mix  IPS Throughput 2  1.4 Gbps  NGFW Throughput 2.4  1 Gbps  Threat Protection Throughput 2.5  System Performance and Capacity  Firewall Throughput (1512 / 64 byte UDP packets)  Firewall Throughput (Packets Per Second)  Concurrent Sessions (TCP)  1.5 M  New Sessions/Second (TCP)  Sound  Gateway-to-Gateway IPsec VPN Tunnels  Gateway-to-Gateway IPsec VPN Tunnels  SSL-VPN Throughput 4 (Neckets Star Star VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (1912 byte) 1  SSL Inspection Concurrent Session (100 000  SSL Inspection Control Throughput (110 0000  SSL Inspection Control Throughput (117 64K)  Application Control Throughput (HTTP 64K)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens  500					
Trusted Platform Module (TPM)  Bluetooth Low Energy (BLE)  No  No  No  System Performance*—Enterprise Traffic Mix  IPS Throughput 2  1.4 Gbps  NGFW Throughput 2.4  1 Gbps  Threat Protection Throughput 2.5  System Performance and Capacity  Firewall Throughput (1518 / 512 / 64 byte UDP packets)  Firewall Throughput (Packets)  Firewall Throughput (Packets)  Concurrent Sessions (TCP)  New Sessions/Second (TCP)  Saboo  IPsec VPN Throughput (512 byte) 1  Gateway-to-Gateway IPsec VPN Tunnels  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection CPS (IPS, avg. HTTPS) 3  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  SSL Inspection Control Throughput (HTTP 64K)  Application Control Throughput (HTTP 64K)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens  Sol		I			
Bluetooth Low Energy (BLE)  No  System Performance* — Enterprise Traffic Mix  IPS Throughput 2  1.4 Gbps  NGFW Throughput 2.4  1 Gbps  Threat Protection Throughput 2.5  Soo Mbps  System Performance and Capacity  Firewall Throughput (1518 / 512 / 64 byte UDP packets)  Firewall Throughput (Packets Per Second)  Concurrent Sessions (TCP)  1.5 M  New Sessions/Second (TCP)  35 000  IPsec VPN Throughput (512 byte) 1  Gateway-to-Gateway IPsec VPN Tunnels  Client-to-Gateway IPsec VPN Tunnels  SSL-VPN Throughput 6  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection CPS (IPS, avg. HTTPS) 3  SSL Inspection COncurrent Session (100 000 (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K)  Maximum Number of FortiAPs (Total / Tunnel Mode)	internal Storage		1 × 126 GB 55D		
System Performance* — Enterprise Traffic Mix  IPS Throughput 2  1.4 Gbps  NGFW Throughput 2.4  1 Gbps  Threat Protection Throughput 2.5  System Performance and Capacity  Firewall Throughput (1512 / 64 byte UDP packets)  Firewall Throughput (Packets Per Second)  Concurrent Sessions (TCP)  1.5 M  New Sessions/Second (TCP)  35 000  IPsec VPN Throughput (512 byte) 1  6.1 Gbps  Gateway-to-Gateway IPsec VPN Tunnels  Client-to-Gateway IPsec VPN Tunnels  SSL-VPN Throughput 6  SSL-VPN Throughput 6  SSL-VPN Throughput 6  SSL-VPN Throughput 7  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K)  Maximum Number of FortiAPs (Total / Tunnel Mode)	Trusted Platform Module (TPM)	No	No		
IPS Throughput 2       1.4 Gbps         NGFW Throughput 2.4       1 Gbps         Threat Protection Throughput 2.5       800 Mbps         System Performance and Capacity       10/10/6 Gbps         Firewall Throughput (1518 / 512 / 64 byte UDP packets)       2.54 μs         Firewall Throughput (Packets Per Second)       9 Mpps         Concurrent Sessions (TCP)       1.5 M         New Sessions/Second (TCP)       35 000         Firewall Policies       5000         IPsec VPN Throughput (512 byte) 1       6.1 Gbps         Gateway-to-Gateway IPsec VPN Tunnels       500         SSL-VPN Throughput 6       405 Mbps         Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)       200         SSL Inspection Throughput (IPS, avg. HTTPS) 3       500         SSL Inspection CPS (IPS, avg. HTTPS) 3       500         SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3       500         SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3       500         SSL Inspection Control Throughput (HTTP 64K)       8.5 Gbps         Virtual Domains (Default / Maximum)       10 / 10         Maximum Number of FortiAPs (Total / Tunnel Mode)       64 / 32         Maximum Number of FortiTokens       500	Bluetooth Low Energy (BLE)	No	No		
NGFW Throughput 2.4 Threat Protection Throughput 2.5 System Performance and Capacity Firewall Throughput (1518 / 512 / 64 byte UDP packets) Firewall Throughput (Packets Per Second) Concurrent Sessions (TCP) 1.5 M New Sessions/Second (TCP) 35 000 Firewall Policies 5000 IPsec VPN Throughput (512 byte) 1 Gateway-to-Gateway IPsec VPN Tunnels SSL-VPN Throughput 6 Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) Maximum Number of FortiNeks Maximum Number of FortiTokens  Mode) Maximum Number of FortiTokens  10/10/6 Gbps 10/10/6	${\bf System\ Performance^*-Enterprise\ Traffic}$	Mix			
Threat Protection Throughput 2.5  System Performance and Capacity  Firewall Throughput (1518 / 512 / 64 byte UDP packets)  Firewall Latency (64 byte UDP packets)  Firewall Throughput (Packets Per Second)  Concurrent Sessions (TCP)  1.5 M  New Sessions/Second (TCP)  35 000  Firewall Policies  5000  IPsec VPN Throughput (512 byte) 1  6.1 Gbps  Gateway-to-Gateway IPsec VPN Tunnels  Client-to-Gateway IPsec VPN Tunnels  500  SSL-VPN Throughput 6  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K)  As Gabps  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens  500  Maximum Number of FortiTokens  500  Maximum Number of FortiTokens	IPS Throughput <sup>2</sup>	1.4 G	bps		
System Performance and Capacity  Firewall Throughput (1518 / 512 / 64 byte UDP packets)  Firewall Latency (64 byte UDP packets)  Firewall Throughput (Packets Per Second)  Concurrent Sessions (TCP)  1.5 M  New Sessions/Second (TCP)  35 000  Firewall Policies  5000  IPsec VPN Throughput (512 byte) 1 6.1 Gbps  Gateway-to-Gateway IPsec VPN 200  Tunnels  Client-to-Gateway IPsec VPN Tunnels  500  SSL-VPN Throughput 6 405 Mbps  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3 500  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3 500  SSL Inspection Concurrent Session 100 000 (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K)  Kitch Adams 10 Aminum Number of FortiSwitches 24  Maximum Number of FortiAPS (Total / Tunnel Mode)  Maximum Number of FortiTokens 500	NGFW Throughput 2,4	1 Gt	ops		
Firewall Throughput (1518 / 512 / 64 byte UDP packets)  Firewall Latency (64 byte UDP packets)  Firewall Throughput (Packets Per Second)  Concurrent Sessions (TCP)  1.5 M  New Sessions/Second (TCP)  35 000  Firewall Policies  5000  IPsec VPN Throughput (512 byte) 1 6.1 Gbps  Gateway-to-Gateway IPsec VPN Tunnels  Client-to-Gateway IPsec VPN Tunnels  500  SSL-VPN Throughput 6 405 Mbps  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3 500  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K)  As Gbps  Virtual Domains (Default / Maximum)  Maximum Number of FortiSwitches Supported  Maximum Number of FortiTokens  500  Inspection Concurrent Session (IPS) (IPS	Threat Protection Throughput <sup>2,5</sup>	800 N	Mbps		
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)   SSL Inspection CPS (IPS, avg. HTTPS)   SSL Inspection Concurrent Session (IPS, avg. HTTPS)   SSL Inspection Concurrent Session (IPS, avg. HTTPS)   S Gaps (HTTP 64K)   S Gaps (HTTP 64	System Performance and Capacity				
Firewall Throughput (Packets Per Second)  Concurrent Sessions (TCP)  1.5 M  New Sessions/Second (TCP)  35 000  Firewall Policies  5000  IPsec VPN Throughput (512 byte) 1  6.1 Gbps  Gateway-to-Gateway IPsec VPN Tunnels  Client-to-Gateway IPsec VPN Tunnels  500  SSL-VPN Throughput 6  405 Mbps  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K) 2  CAPWAP Throughput (HTTP 64K)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens  500  Maximum Number of FortiTokens  500  Maximum Number of FortiTokens  500		10/10/6 Gbps			
(Packets Per Second)         1.5 M           Concurrent Sessions (TCP)         35 000           Firewall Policies         5000           IPsec VPN Throughput (512 byte) 1         6.1 Gbps           Gateway-to-Gateway IPsec VPN Tunnels         200           Client-to-Gateway IPsec VPN Tunnels         500           SSL-VPN Throughput 6         405 Mbps           Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)         200           SSL Inspection Throughput (IPS, avg. HTTPS) 3         500           SSL Inspection CPS (IPS, avg. HTTPS) 3         500           SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3         100 000           SSL Inspection Control Throughput (IPS, avg. HTTPS) 3         18 Gbps           Application Control Throughput (HTTP 64K)         8.5 Gbps           Virtual Domains (Default / Maximum)         10 / 10           Maximum Number of FortiSwitches Supported         24           Maximum Number of FortiAPS (Total / Tunnel Mode)         64 / 32           Maximum Number of FortiTokens         500	Firewall Latency (64 byte UDP packets)	2.54 µs			
New Sessions/Second (TCP)  Firewall Policies  5000  IPsec VPN Throughput (512 byte) 1  6.1 Gbps  Gateway-to-Gateway IPsec VPN Tunnels  Client-to-Gateway IPsec VPN Tunnels  500  SSL-VPN Throughput 6  405 Mbps  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K)  Virtual Domains (Default / Maximum)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens  500  Maximum Number of FortiTokens  500		9 Mpps			
Firewall Policies 5000  IPsec VPN Throughput (512 byte) 1 6.1 Gbps  Gateway-to-Gateway IPsec VPN 200  Tunnels 500  SSL-VPN Throughput 6 405 Mbps  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3 500  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3 500  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3 100 000  (IPS, avg. HTTPS) 3 18 Gbps  Application Control Throughput (HTTP 64K) 8.5 Gbps  Virtual Domains (Default / Maximum) 10 / 10  Maximum Number of FortiSwitches 24  Maximum Number of FortiTokens 500	Concurrent Sessions (TCP)	1.5 M			
Psec VPN Throughput (512 byte) 1	New Sessions/Second (TCP)	35 000			
Gateway-to-Gateway IPsec VPN Tunnels 500  Client-to-Gateway IPsec VPN Tunnels 500  SSL-VPN Throughput 6 405 Mbps  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) 700 Mbps  SSL Inspection Throughput (IPS, avg. HTTPS) 3 500  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3 100 000  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3 500  SSL Inspection Control Throughput (HTTP 64K) 8.5 Gbps  Virtual Domains (Default / Maximum) 10 / 10  Maximum Number of FortiAPs (Total / Tunnel Mode) 64 / 32  Maximum Number of FortiTokens 500	Firewall Policies	5000			
Tunnels  Client-to-Gateway IPsec VPN Tunnels  SSL-VPN Throughput 6  Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3  SSL Inspection Cops (IPS, avg. HTTPS) 3  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K) 2  CAPWAP Throughput (HTTP 64K)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens  500	IPsec VPN Throughput (512 byte) 1	6.1 Gbps			
SSL-VPN Throughput 6 Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3 SSL Inspection CPS (IPS, avg. HTTPS) 3 SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3 Application Control Throughput (HTTP 64K) 2 CAPWAP Throughput (HTTP 64K) Maximum Number of FortiSwitches Supported  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens  200  405 Mbps  200  405 Mbps  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 000  100 0		200			
Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3  SSL Inspection Cops (IPS, avg. HTTPS) 3  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K) 2  CAPWAP Throughput (HTTP 64K)  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens  200  700  Mbps  100  100  100  100  100  100  100  1	Client-to-Gateway IPsec VPN Tunnels	500			
(Recommended Maximum, Tunnel Mode)  SSL Inspection Throughput (IPS, avg. HTTPS) 3  SSL Inspection CPS (IPS, avg. HTTPS) 3  SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K) 2  CAPWAP Throughput (HTTP 64K) 8.5 Gbps  Virtual Domains (Default / Maximum) 10 / 10  Maximum Number of FortiSwitches 24  Supported  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens 500	SSL-VPN Throughput <sup>6</sup>	405 Mbps			
(IPS, avg. HTTPS) 3         500           SSL Inspection CPS (IPS, avg. HTTPS) 3         500           SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3         100 000           Application Control Throughput (HTTP 64K) 2         1.8 Gbps           CAPWAP Throughput (HTTP 64K) 8.5 Gbps           Virtual Domains (Default / Maximum) 10 / 10           Maximum Number of FortiSwitches Supported         24           Maximum Number of FortiAPS (Total / Tunnel Mode)         64 / 32           Maximum Number of FortiTokens         500	(Recommended Maximum, Tunnel	20	0		
SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K) 2  CAPWAP Throughput (HTTP 64K) 8.5 Gbps  Virtual Domains (Default / Maximum) 10 / 10  Maximum Number of FortiSwitches 24  Maximum Number of FortiAPs (Total / Tunnel Mode) 64 / 32  Maximum Number of FortiTokens 500		700 Mbps			
(IPS, avg. HTTPS) 3  Application Control Throughput (HTTP 64K) 2  CAPWAP Throughput (HTTP 64K) 8.5 Gbps  Virtual Domains (Default / Maximum) 10 / 10  Maximum Number of FortiSwitches 24  Supported  Maximum Number of FortiAPs (Total / Tunnel Mode) 64 / 32  Maximum Number of FortiTokens 500	SSL Inspection CPS (IPS, avg. HTTPS) <sup>3</sup>	500			
(HTTP 64K) <sup>2</sup> CAPWAP Throughput (HTTP 64K) 8.5 Gbps  Virtual Domains (Default / Maximum) 10 / 10  Maximum Number of FortiSwitches 24  Maximum Number of FortiAPs 64 / 32  (Total / Tunnel Mode) 64 / 32  Maximum Number of FortiTokens 500		100 000			
Virtual Domains (Default / Maximum)     10 / 10       Maximum Number of FortiSwitches Supported     24       Maximum Number of FortiAPs (Total / Tunnel Mode)     64 / 32       Maximum Number of FortiTokens     500		1.8 Gbps			
Maximum Number of FortiSwitches Supported     24       Maximum Number of FortiAPs (Total / Tunnel Mode)     64 / 32       Maximum Number of FortiTokens     500	CAPWAP Throughput (HTTP 64K)	8.5 Gbps			
Supported  Maximum Number of FortiAPs (Total / Tunnel Mode)  Maximum Number of FortiTokens 500	Virtual Domains (Default / Maximum)	10 /	10		
(Total / Tunnel Mode)  Maximum Number of FortiTokens 500		24	4		
		64 / 32			
High Availability Configurations Active-Active, Active-Passive, Clustering	Maximum Number of FortiTokens	50	500		
	High Availability Configurations	Active-Active, Active	-Passive, Clustering		

	FORTIGATE 70F	FORTIGATE 71F			
Dimensions					
Height x Width x Length (inches)	1.5 × 8	1.5 × 8.5 × 6.3			
Height x Width x Length (mm)	38.5 × 216	38.5 × 216 × 160 mm			
Weight	<b>/eight</b> 2.23 lbs (1.01 kg)				
Form Factor	Des	Desktop			
Operating Environment and Certifica	ations				
Power Rating	12VD	OC, 3A			
Power Required		al DC Power Adapter, AC, 50/60 Hz			
Maximum Current	100VAC/1.0A,	100VAC/1.0A, 240VAC/0.6A			
Power Consumption (Average / Maximum)	10.17 W / 12.43 W	17.2 W / 18.7 W			
Heat Dissipation	63.1 BTU/hr	63.8 BTU/hr			
Operating Temperature	32°-104°F	(0°-40°C)			
Storage Temperature	-31°-158°F	(-35°-70°C)			
Humidity	Humidity 10%-90	% non-condensing			
Noise Level	Fanles	s 0 dBA			
Operating Altitude	Up to 7400	ft (2250 m)			
pmpliance FCC, ICES, CE, RCM, VCCI, BSMI, UL/c		/CCI, BSMI, UL/cUL, C			
Certifications	USGv	6/IPv6			

Note: All performance values are "up to" and vary depending on system configuration.



<sup>&</sup>lt;sup>1</sup> IPsec VPN performance test uses AES256-SHA256.

 $<sup>^{\</sup>rm 2}$  IPS (Enterprise Mix), Application Control, NGFW and Threat Protection are measured with Logging enabled.

 $<sup>^{\</sup>rm 3}$  SSL Inspection performance values use an average of HTTPS sessions of different cipher suites.

 $<sup>^{\</sup>rm 4}$  NGFW performance is measured with Firewall, IPS and Application Control enabled.

<sup>5</sup> Threat Protection performance is measured with Firewall, IPS, Application Control and Malware Protection enabled.

<sup>&</sup>lt;sup>6</sup> Uses RSA-2048 certificate.

#### **SUBSCRIPTIONS**

				Bundles	
Service Category	Service Offering	A-la-carte	Enterprise Protection	Unified Threat Protection	Advanced Threat Protection
Security Services	FortiGuard IPS Service	•	•	•	•
	FortiGuard Anti-Malware Protection (AMP) — Antivirus, Mobile Malware, Botnet, CDR, Virus Outbreak Protection and FortiSandbox Cloud Service	•	•	•	•
	FortiGuard Web Security — URL and web content, Video and Secure DNS Filtering	•	•	•	
	FortiGuard Anti-Spam		•	•	
	FortiGuard IoT Detection Service	•	•		
	FortiGuard Industrial Security Service	•	•		
	FortiCloud Al-based Inline Sandbox Service 1	•			
NOC Services	FortiGate Cloud (SMB Logging + Cloud Management)	•			
	FortiGuard Security Fabric Rating and Compliance Monitoring Service	•	•		
	FortiConverter Service	•	•		
	FortiGuard SD-WAN Underlay Bandwidth and Quality Monitoring Service	•			
SOC Services	FortiAnalyzer Cloud	•			
	FortiAnalyzer Cloud with SOCaaS	•			
Hardware and Software Support	FortiCare Essentials	•			
	FortiCare Premium	•	•	•	•
	FortiCare Elite	•			
Base Services	FortiGuard Application Control				
	FortiCloud ZTNA Inline CASB Service <sup>1</sup>				
	Internet Service (SaaS) DB Updates				
	GeoIP DB Updates	included with FortiCare Subscription			
	Device/OS Detection Signatures				
	Trusted Certificate DB Updates				
	DDNS (v4/v6) Service				

<sup>1.</sup> Available when running FortiOS 7.2



#### **FortiGuard Bundles**

FortiGuard Labs delivers a number of security intelligence services to augment the FortiGate firewall platform. You can easily optimize the protection capabilities of your FortiGate with one of these FortiGuard Bundles.

#### FortiCare Elite

FortiCare Elite services offers enhanced service-level agreements (SLAs) and accelerated issue resolution. This advanced support offering provides access to a dedicated support team. Single-touch ticket handling by the expert technical team streamlines resolution. This option also provides Extended End-of-Engineering-Support (EoE's) of 18 months for added flexibility and access to the new FortiCare Elite Portal. This intuitive portal provides a single unified view of device and security health.

#### **Fortinet CSR Policy**


Fortinet is committed to driving progress and sustainability for all through cybersecurity, with respect for human rights and ethical business practices, making possible a digital world you can always trust. You represent and warrant to Fortinet that you will not use Fortinet's products and services to engage in, or support in any way, violations or abuses of human rights, including those involving illegal censorship, surveillance, detention, or excessive use of force. Users of Fortinet products are required to comply with the Fortinet EULA and report any suspected violations of the EULA via the procedures outlined in the Fortinet Whistleblower Policy.



## **Ordering Information**

Product	SKU	Description
FortiGate 70F	FG-70F	10x GE RJ45 ports (including 7x Internal ports, 2x WAN ports, 1x DMZ port).
FortiGate 71F	FG-71F	10x GE RJ45 ports (including 7x Internal ports, 2x WAN ports, 1x DMZ port), 128 GB SSD onboard storage.
Optional Accessories		
Rack Mount Tray	SP-RACKTRAY-02	Rack mount tray for all FortiGate E series and F series desktop models are backwards compatible with SP-RackTray-01.
AC Power Adaptor	SP-FG60E-PDC-5	Pack of 5 AC power adaptors for FG/FWF 60E/61E, FG/FWF 60F/61F, FG-70F/71F, and FG-80E/81E.
Wall Mount Kit	SP-FG60F-MOUNT-20	Pack of 20 wall mount kits for FG/FWF-60F, FG-70F/71F and FG/FWF-80F series.







www.fortinet.com

Copyright © 2023 Fortinet, Inc., All rights reserved. Fortinet\*, FortiGate\*, FortiGate\*, FortiGate\*, and FortiGate\*, and certain other marks are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be registered and/or common law trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance and other metrics contained herein were attained in internal lab tests under ideal conditions, and actual performance and other results may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet discislams all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinets General Coursed, with a purchaser that expressly warrants that the identified product will perform according to certain expressly-identified performance metrics expressly identified in such binding written contract shall be binding on Fortinet. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinets internal lab tests. Fortinet disclaims in full any covenants, representations, and guarantees pursuant hereto, whether express or implied. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.